



WET ON WET - 2000 SERIES



PRODUCT


MIXING

APPLICATION

FLASH-OFF

BAKE

SURFACE PREPARATION



1-951 Silicone Remover

RFU

Wipe on Wipe off

N/A

N/A

Clean substrate with 1-951 Silicone Remover



Dry sand paper

Sand substrate with P320-P400



1-951 Silicone Remover

RFU

Wipe on Wipe off

N/A

N/A

Clean substrate prior to applying 8-149 Tinting Surfacer



8-149
Tinting Surfacer

1:1 with Series 2000>
3:1 with MS
Hardener
5-20% Uni-Thinner

1 coat

5-10 minutes

N/A

Apply one coat 8-149 then topcoat with 2000 Series after correct flash-off



2000 Series 2K
BeroMix

2:1

2-3 coats

10-15 minutes

30 minutes

High Gloss 2K finish